

MY 2026

2T 85 MX JUNIOR



CHASSIS

WEIGHT (WITHOUT FUEL)	69 Kg
TANK CAPACITY (APPROX.)	6 Lt
FRONT BRAKE DISC DIAMETER	220 mm / 240 mm
REAR BRAKE DISC DIAMETER	190 mm
FRONT BRAKE CALIPER	Braking
REAR BRAKE CALIPER	Braking
FRONT/REAR BRAKE PUMP	Brembo
CHAIN	Regina RX3

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded, forged and microcast details
FRONT SUSPENSION	Formula Ø 39 mm
GROUND CLEARANCE	27 cm
REAR SUSPENSION	Extreme Shox
SEAT HEIGHT FROM THE GROUND	81 cm
STEERING HEAD ANGLE	N.D.
FRONT SUSPENSION TRAVEL	N.D.
REAR SUSPENSION TRAVEL	N.D.
WHEELS	14"/17" - 16"/19"

ENGINE

TRANSMISSION	6 speed
STARTER	Kick start only
STROKE	47 mm
BORE	47.95 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	84.9 cm ³
ECU	Kokusan
CARBURETOR	Keihin PWK Ø 28

MY 2026

2T 100 MX JUNIOR



CHASSIS

WEIGHT (WITHOUT FUEL)	69 Kg
TANK CAPACITY (APPROX.)	6 Lt
FRONT BRAKE DISC DIAMETER	220 mm / 240 mm
REAR BRAKE DISC DIAMETER	190 mm
FRONT BRAKE CALIPER	Braking
REAR BRAKE CALIPER	Braking
FRONT/REAR BRAKE PUMP	Brembo
CHAIN	Regina RX3

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded, forged and microcast details
FRONT SUSPENSION	Formula Ø 39 mm
GROUND CLEARANCE	27 cm
REAR SUSPENSION	Extreme Shox
SEAT HEIGHT FROM THE GROUND	81 cm
STEERING HEAD ANGLE	N.D.
FRONT SUSPENSION TRAVEL	N.D.
REAR SUSPENSION TRAVEL	N.D.
WHEELS	16"/19"

ENGINE

TRANSMISSION	6 speed
STARTER	Kick start only
STROKE	47 mm
BORE	52 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	99.8 cm ³
ECU	Kokusan
CARBURETOR	Keihin PWK Ø 28

MY 2026

2T 112 MX JUNIOR



CHASSIS

WEIGHT (WITHOUT FUEL)	69 Kg
TANK CAPACITY (APPROX.)	6 Lt
FRONT BRAKE DISC DIAMETER	220 mm / 240 mm
REAR BRAKE DISC DIAMETER	190 mm
FRONT BRAKE CALIPER	Braking
REAR BRAKE CALIPER	Braking
FRONT/REAR BRAKE PUMP	Brembo
CHAIN	Regina RX3

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded, forged and microcast details
FRONT SUSPENSION	Formula Ø 39 mm
GROUND CLEARANCE	27 cm
REAR SUSPENSION	Extreme Shox
SEAT HEIGHT FROM THE GROUND	81 cm
STEERING HEAD ANGLE	N.D.
FRONT SUSPENSION TRAVEL	N.D.
REAR SUSPENSION TRAVEL	N.D.
WHEELS	16"/19"

ENGINE

TRANSMISSION	6 speed
STARTER	Kick start only
STROKE	52.6 mm
BORE	52 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	111.7 cm ³
ECU	Kokusan
CARBURETOR	Keihin PWK Ø 28

MY 2026 2T 85 MX



CHASSIS

WEIGHT (WITHOUT FUEL)	90 Kg
TANK CAPACITY (APPROX.)	9.0 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto
	99 cm
SEAT HEIGHT FROM THE GROUND	63°
STEERING HEAD ANGLE	310 mm
FRONT SUSPENSION TRAVEL	300 mm
REAR SUSPENSION TRAVEL	19"/21"
WHEELS	

ENGINE

TRANSMISSION	6 speed
STARTER	Kick start only
STROKE	47 mm
BORE	47.95 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	84.9 cm ³
ECU	Kokusan
CARBURETOR	Keihin PWK Ø 28

MY 2026 2T 100 MX



CHASSIS

WEIGHT (WITHOUT FUEL)	90 Kg
TANK CAPACITY (APPROX.)	9.0 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto 99 cm
SEAT HEIGHT FROM THE GROUND	63°
STEERING HEAD ANGLE	310 mm
FRONT SUSPENSION TRAVEL	300 mm
REAR SUSPENSION TRAVEL	19"/21"
WHEELS	

ENGINE

TRANSMISSION	6 speed
STARTER	Kick start only
STROKE	47 mm
BORE	52 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	99.8 cm ³
ECU	Kokusan
CARBURETOR	Keihin PWK Ø 28

MY 2026 2T 112 MX



CHASSIS

WEIGHT (WITHOUT FUEL)	90 Kg
TANK CAPACITY (APPROX.)	9.0 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto
	99 cm
SEAT HEIGHT FROM THE GROUND	63°
STEERING HEAD ANGLE	310 mm
FRONT SUSPENSION TRAVEL	300 mm
REAR SUSPENSION TRAVEL	19"/21"
WHEELS	

ENGINE

TRANSMISSION	6 speed
STARTER	Kick start only
STROKE	52.6 mm
BORE	52 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	111.7 cm ³
ECU	Kokusan
CARBURETOR	Keihin PWK Ø 28

MY 2026 2T 125 MX ES



CHASSIS

WEIGHT (WITHOUT FUEL)	90 Kg
TANK CAPACITY (APPROX.)	9.0 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	99 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	19"/21"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start only
STROKE	54 .5 mm
BORE	54 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	124.8 cm ³
ECU	eMoticom
CARBURETOR	Keihin PWK Ø 38
EXHAUST VALVE	E.C.V.S

MY 2026

2T 125 FI MX ES



CHASSIS

WEIGHT (WITHOUT FUEL)	91 Kg
TANK CAPACITY (APPROX.)	9.0 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	99 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	19"/21"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start only
STROKE	54 .5 mm
BORE	54 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	124.8 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto
EXHAUST VALVE	E.C.V.S

MY 2026 2T 144 MX



CHASSIS

WEIGHT (WITHOUT FUEL)	90 Kg
TANK CAPACITY (APPROX.)	9.0 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	99 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	19"/21"

ENGINE

TRANSMISSION	6 speed
STARTER	Kick start only
STROKE	58.2 mm
BORE	56 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	143.3 cm ³
ECU	Kokusan
CARBURETOR	Keihin PWK Ø 38

MY 2026 2T 250 MX ES



CHASSIS

WEIGHT (WITHOUT FUEL)	95 Kg
TANK CAPACITY (APPROX.)	9.0 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	98.5 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	19"/21"

ENGINE

TRANSMISSION	5 speed / 6 speed (Optional)
STARTER	Electric start / Kick start (Optional)
STROKE	72 mm
BORE	66.4 mm
CLUTCH	NEW! Multidisc in oil bath
DISPLACEMENT	249.3 cm ³
ECU	eMoticom
CARBURETOR	Keihin PWK Ø 38

MY 2026 2T 250 FI MX ES



CHASSIS

WEIGHT (WITHOUT FUEL)	97 Kg
TANK CAPACITY (APPROX.)	9.0 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	98.5 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	19"/21"

ENGINE

TRANSMISSION	5 speed / 6 speed (Optional)
STARTER	Electric start / Kick start (Optional)
STROKE	72 mm
BORE	66.4 mm
CLUTCH	NEW! Multidisc in oil bath
DISPLACEMENT	249.3 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026 2T 300 MX ES



CHASSIS

WEIGHT (WITHOUT FUEL)	95 Kg
TANK CAPACITY (APPROX.)	9.0 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	98.5 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	19"/21"

ENGINE

TRANSMISSION	5 speed / 6 speed (Optional)
STARTER	Electric start / Kick start (Optional)
STROKE	72 mm
BORE	72 mm
CLUTCH	NEW! Multidisc in oil bath
DISPLACEMENT	293.2 cm ³
ECU	eMoticom
CARBURETOR	Keihin PWK Ø 38

MY 2026 2T 300 FI MX ES



CHASSIS

WEIGHT (WITHOUT FUEL)	97 Kg
TANK CAPACITY (APPROX.)	9.0 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	98.5 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	19"/21"

ENGINE

TRANSMISSION	5 speed / 6 speed (Optional)
STARTER	Electric start / Kick start (Optional)
STROKE	72 mm
BORE	72 mm
CLUTCH	NEW! Multidisc in oil bath
DISPLACEMENT	293.2 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026

4T 250 FI MX ES



CHASSIS

WEIGHT (WITHOUT FUEL)	99 Kg
TANK CAPACITY (APPROX.)	7.5 Lt
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	35.5 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	97 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	19"/21"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	53.6 mm
BORE	77 mm
CLUTCH	NEW! Multidisc in oil bath
DISPLACEMENT	249.6 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026 4T 300 FI MX ES



CHASSIS

WEIGHT (WITHOUT FUEL)	99 Kg
TANK CAPACITY (APPROX.)	7.5 Lt
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	35.5 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	97 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	19"/21"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	58.1 mm
BORE	81 mm
CLUTCH	NEW! Multidisc in oil bath
DISPLACEMENT	299.4 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026 4T 450 FI MX ES



CHASSIS

WEIGHT (WITHOUT FUEL)	106 Kg
TANK CAPACITY (APPROX.)	7.5 Lt
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	100 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	19"/21"

ENGINE

TRANSMISSION	5 speed
STARTER	Electric start / Kick start (Optional)
STROKE	63.4 mm
BORE	95 mm
CLUTCH	NEW! Multidisc in oil bath
DISPLACEMENT	449 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026

2T 125 FI EN ES



CHASSIS

WEIGHT (WITHOUT FUEL)	93 Kg
TANK CAPACITY (APPROX.)	8.5 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	36 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	99 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	18"/21"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start only
STROKE	54.5 mm
BORE	54 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	124.8 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto
EXHAUST VALVE	E.C.V.S

MY 2026 2T 250 FI EN ES



CHASSIS

WEIGHT (WITHOUT FUEL)	100 Kg
TANK CAPACITY (APPROX.)	8.5 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	35.5 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	98.5 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	18"/21"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	72 mm
BORE	66.4 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	249.3 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026 2T 300 FI EN ES



CHASSIS

WEIGHT (WITHOUT FUEL)	100 Kg
TANK CAPACITY (APPROX.)	8.5 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	35.5 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	98.5 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	18"/21"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	72 mm
BORE	72 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	293.2 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026 4T 250 FI EN ES



CHASSIS

WEIGHT (WITHOUT FUEL)	103 Kg
TANK CAPACITY (APPROX.)	7.5 Lt
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	34.5 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	97 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	18"/21"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	53.6 mm
BORE	77 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	249.6 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026 4T 300 FI EN ES



CHASSIS

WEIGHT (WITHOUT FUEL)	103 Kg
TANK CAPACITY (APPROX.)	7.5 Lt
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	34.5 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	97 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	18"/21"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	58.1 mm
BORE	81 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	299.4 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026 4T 450 FI EN ES



CHASSIS

WEIGHT (WITHOUT FUEL)	111 Kg
TANK CAPACITY (APPROX.)	7.5 Lt
FRONT BRAKE DISC DIAMETER	270 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo
FRONT BRAKE CALIPER	Brembo
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	35 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	100 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	310 mm
REAR SUSPENSION TRAVEL	300 mm
WHEELS	18"/21"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	63.4 mm
BORE	95 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	449 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026

2T 125 FI SMR ES



CHASSIS

WEIGHT (WITHOUT FUEL)	100 Kg
TANK CAPACITY (APPROX.)	8.5 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	305 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo 15/18 radial
FRONT BRAKE CALIPER	Brembo M34/100 radial
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	30 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	92 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	280 mm
REAR SUSPENSION TRAVEL	270 mm
WHEELS	17"/17"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start only
STROKE	54.5 mm
BORE	54 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	124.8 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto
EXHAUST VALVE	E.C.V.S

MY 2026

2T 300 FI SMR ES



CHASSIS

WEIGHT (WITHOUT FUEL)	105 Kg
TANK CAPACITY (APPROX.)	8.5 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	305 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo 15/18 radial
FRONT BRAKE CALIPER	Brembo M34/100 radial
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	29 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	92 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	280 mm
REAR SUSPENSION TRAVEL	270 mm
WHEELS	17"/17"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	72 mm
BORE	72 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	293.2 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026 4T 450 FI SMR ES



CHASSIS

WEIGHT (WITHOUT FUEL)	109 Kg
TANK CAPACITY (APPROX.)	7.5 Lt
FRONT BRAKE DISC DIAMETER	305 mm
REAR BRAKE DISC DIAMETER	240 mm
FRONT BRAKE PUMP	Brembo 15/18 radial
FRONT BRAKE CALIPER	Brembo M34/100 radial
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	29 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	92 cm
STEERING HEAD ANGLE	63°
FRONT SUSPENSION TRAVEL	280 mm
REAR SUSPENSION TRAVEL	270 mm
WHEELS	17"/17"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	63.4 mm
BORE	95 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	449 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

MY 2026 2T 85 SMX JUNIOR



CHASSIS

WEIGHT (WITHOUT FUEL)	72 Kg
TANK CAPACITY (APPROX.)	6 Lt
FRONT BRAKE DISC DIAMETER	240 mm
REAR BRAKE DISC DIAMETER	190 mm
FRONT BRAKE CALIPER	Braking
REAR BRAKE CALIPER	Braking
FRONT/REAR BRAKE PUMP	Brembo
CHAIN	Regina RX3

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded, forged and microcast details
FRONT SUSPENSION	Mupo Ø 38 mm
GROUND CLEARANCE	24 cm
REAR SUSPENSION	Extreme Shox
SEAT HEIGHT FROM THE GROUND	78 cm
STEERING HEAD ANGLE	N.D.
FRONT SUSPENSION TRAVEL	N.D.
REAR SUSPENSION TRAVEL	N.D.
WHEELS	12"/12"

ENGINE

TRANSMISSION	6 speed
STARTER	Kick start only
STROKE	47 mm
BORE	47.95 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	84.9 cm ³
ECU	Kokusan
CARBURETOR	Keihin PWK Ø 28

MY 2026

2T 100 SMX JUNIOR



CHASSIS

WEIGHT (WITHOUT FUEL)	72 Kg
TANK CAPACITY (APPROX.)	6 Lt
FRONT BRAKE DISC DIAMETER	240 mm
REAR BRAKE DISC DIAMETER	190 mm
FRONT BRAKE CALIPER	Braking
REAR BRAKE CALIPER	Braking
FRONT/REAR BRAKE PUMP	Brembo
CHAIN	Regina RX3

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded, forged and microcast details
FRONT SUSPENSION	Mupo Ø 38 mm
GROUND CLEARANCE	24 cm
REAR SUSPENSION	Extreme Shox
SEAT HEIGHT FROM THE GROUND	78 cm
STEERING HEAD ANGLE	N.D.
FRONT SUSPENSION TRAVEL	N.D.
REAR SUSPENSION TRAVEL	N.D.
WHEELS	12"/12"

ENGINE

TRANSMISSION	6 speed
STARTER	Kick start only
STROKE	47 mm
BORE	52 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	99.8 cm ³
ECU	Kokusan
CARBURETOR	Keihin PWK Ø 28

MY 2026

2T 112 SMX JUNIOR



CHASSIS

WEIGHT (WITHOUT FUEL)	73 Kg
TANK CAPACITY (APPROX.)	6 Lt
FRONT BRAKE DISC DIAMETER	240 mm
REAR BRAKE DISC DIAMETER	190 mm
FRONT BRAKE CALIPER	Braking
REAR BRAKE CALIPER	Braking
FRONT/REAR BRAKE PUMP	Brembo
CHAIN	Regina RX3

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded, forged and microcast details
FRONT SUSPENSION	Mupo Ø 38 mm
GROUND CLEARANCE	24 cm
REAR SUSPENSION	Extreme Shox
SEAT HEIGHT FROM THE GROUND	78 cm
STEERING HEAD ANGLE	N.D.
FRONT SUSPENSION TRAVEL	N.D.
REAR SUSPENSION TRAVEL	N.D.
WHEELS	12"/12"

ENGINE

TRANSMISSION	6 speed
STARTER	Kick start only
STROKE	52.6 mm
BORE	52 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	111.7 cm ³
ECU	Kokusan
CARBURETOR	Keihin PWK Ø 28

MY 2026

2T 300 SMX ES



CHASSIS

WEIGHT (WITHOUT FUEL)	103 Kg
TANK CAPACITY (APPROX.)	9.5 Lt / 12 Lt (Optional)
FRONT BRAKE DISC DIAMETER	305 mm
REAR BRAKE DISC DIAMETER	240 mm / 205 mm
FRONT BRAKE PUMP	Brembo 18/16 radial
FRONT BRAKE CALIPER	Brembo M34/100 radial
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details
FRONT SUSPENSION	Kayaba Ø 48 mm

GROUND CLEARANCE	29 cm
REAR SUSPENSION	TM Moto

SEAT HEIGHT FROM THE GROUND	92 cm
STEERING HEAD ANGLE	N.D.
FRONT SUSPENSION TRAVEL	280 mm
REAR SUSPENSION TRAVEL	270 mm
WHEELS	16.5"/17"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	72 mm
BORE	72 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	293.2 cm ³
ECU	eMoticom
CARBURETOR	Keihin PWK Ø 38

MY 2026

4T 250 FI SMK ES



CHASSIS

WEIGHT (WITHOUT FUEL)	106 Kg
TANK CAPACITY (APPROX.)	7.5 Lt
FRONT BRAKE DISC DIAMETER	305 mm
REAR BRAKE DISC DIAMETER	240 mm / 205 mm
FRONT BRAKE PUMP	Brembo 18/16 radial
FRONT BRAKE CALIPER	Brembo M34/100 radial
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	53.6 mm
BORE	77 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	249.6 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details with frame geometry dedicate for supermoto
FRONT SUSPENSION	Kayaba Ø 48 mm Optional Kayaba Ø 48 mm SPECIAL DLC with inner tube and outer tube treatment, piston and setting calibration dedicated
GROUND CLEARANCE	32.1 cm
REAR SUSPENSION	TM Moto Optional Mono SPECIAL Extreme Shox
SEAT HEIGHT FROM THE GROUND	94 cm
STEERING HEAD ANGLE	N.D.
FRONT SUSPENSION TRAVEL	280 mm
REAR SUSPENSION TRAVEL	270 mm
WHEELS	16.5"/17"

MY 2026

4T 450 FI SMK ES



CHASSIS

WEIGHT (WITHOUT FUEL)	115 Kg
TANK CAPACITY (APPROX.)	7.5 Lt
FRONT BRAKE DISC DIAMETER	305 mm
REAR BRAKE DISC DIAMETER	240 mm / 205 mm
FRONT BRAKE PUMP	Brembo 18/16 radial
FRONT BRAKE CALIPER	Brembo M34/100 radial
REAR BRAKE PUMP/CALIPER	Nissin
CHAIN	RK 520 MXU

FRAME DESIGN	Self-tempering aluminum deltabox type, single-beam, with extruded and forged details with frame geometry dedicate for supermoto
FRONT SUSPENSION	Kayaba Ø 48 mm Optional Kayaba Ø 48 mm SPECIAL DLC with inner tube and outer tube treatment, piston and setting calibration dedicated
GROUND CLEARANCE	32.1 cm
REAR SUSPENSION	TM Moto Optional Mono SPECIAL Extreme Shox
SEAT HEIGHT FROM THE GROUND	94 cm
STEERING HEAD ANGLE	N.D.
FRONT SUSPENSION TRAVEL	280 mm
REAR SUSPENSION TRAVEL	270 mm
WHEELS	16.5"/17"

ENGINE

TRANSMISSION	6 speed
STARTER	Electric start / Kick start (Optional)
STROKE	63.4 mm
BORE	95 mm
CLUTCH	Multidisc in oil bath
DISPLACEMENT	449 cm ³
ECU	eMoticom
THROTTLE BODY	TM Moto